Bibliography

[1] P.A. Packan and J.D. Plummer, "Transient diffusion of low-concentration B in Si due to ^{29}Si implantation," *Appl. Phys. Lett.*, vol. 56, p. 1787, 1990.

[2] M.D. Giles, "Transient Phosphorus Diffusion Below the Amorphization Threshold," *J. Electrochem. Soc.*, vol. 138, p. 1160, 1991.

[3] H. Park and M.E. Law, "Effects of low-dose Si implantation damage on diffusion of phosphorus and arsenic in Si," *Appl. Phys. Lett.*, vol. 58, p. 732, 1991.

[4] L.D. Yau, "A Simple Theory to Predict the Threshold Voltage of Short-Channel IGFETs," *Solid State Elec.*, vol. 17, p. 1059, 1974.

[5] C.S. Rafferty, H.-H. Vuong, S.A. Eshraghi, M.D. Giles, M.R. Pinto, and S.J. Hillenius, "Explanation of Reverse Short Channel Effect by Defect Gradients," *1993 IEDM Technical Digest*, p. 311, 1993.

[6] T. Kunikiyo, K. Mitsui, M. Fujinaga, T. Uchida, and N. Kotani, "Reverse Short-Channel Effect Due to Lateral Diffusion of Point-Defect Induced by Source/Drain Ion Implantation," *IEEE Trans. on CAD*, vol. 13, p. 507, 1994.

[7] M.E. Law, C.S. Rafferty, and R.W. Dutton, *SUPREM-IV Users Manual*, 1988.

[8] K. S. Jones, S. Prussin, and E. R. Weber, "A Systematic Analysis of Defects in Ion-Implanted Silicon," *Appl. Phys. A*, vol. 45, p. 1, 1988.

[9] Y. Kim, H. Z. Massoud, S. Chevacharoeukul, and R.B. Fair, "The Role of End-of-Range Dislocation Loops as a Diffusion Barrier," *Semiconductor Silicon*, ed. by H. R. Huff, K. G. Barraclough, and J.-I. Chikawa (Electrochemical Society, Pennington, NJ), p. 437, 1990.

[10] Richard B. Fair, Process Model for Simulating the Effect of Amorphizing Implants on Phosphorus Diffusion, *Semiconductor Silicon*, ed. by H. R. Huff, K. G. Barraclough, and J.-I. Chikawa (Electrochemical Society, Pennington, NJ), p. 429, 1990.

[11] Paul Andrew Packan, *Physical Modeling of Transient Diffusion Effects in Silicon Due to Surface Oxidation and Ion-Implantation*, Ph.D. thesis, Stanford University, Stanford, CA, 1991.

[12] P.A. Packan and J.D. Plummer, Temperature and time dependence of B and P diffusion in Si during surface oxidation, *J. Appl. Phys.*, vol. 68, p. 4327, 1990.

[13] N.A. Stolwijk, J. Holzl, W. Frank, E.R. Weber, and M. Mehrer, Diffusion of Gold in Dislocation-Free or Highly Dislocation Silicon Measured by the Spreading-Resistance Technique, *Appl. Phys. A*, vol. 39, p. 37, 1986.

[14] David J. Roth, Robert Y.S. Huang, James D. Plummer, and Robert W. Dutton, Silicon interstitial absorption during thermal oxidation at 900ßC by extended defects formed via silicon implantation, *Appl. Phys. Lett.*, vol. 62, p. 2498, 1993.

[15] B. Leroy, Kinetics of growth of the oxidation stacking faults, *J. Appl. Phys.*, vol. 50, p. 7996, 1979.

[16] S. M. Hu, Oxygen, Oxidation Stacking Faults, and Related Phenomena in Silicon, *Defects in Semiconductors*, ed. by J. Narayan and T.Y. Tan (North-Holland, Amsterdam), p. 333, 1981.

[17] A.M. Lin, R.W. Dutton, D.A. Antoniadis, and W.A. Tiller, The Growth of Oxidation Stacking Faults and the Point Defect Generation at Si-SiO Interface during Thermal Oxidation of Silicon, *J. Electrochem. Soc.*, vol. 128, p. 1121, 1981.

[18] Dimitri A. Antoniadis, Oxidation-Induced Point Defects in Silicon, *J. Electrochem. Soc.*, vol. 129, p. 1093, 1982.

[19] F. Kroupa, Circular Edge Dislocation Loop, *Czech. J. Phys. B*, vol. 10, p. 284, 1960.

[20] H. Foll and C.B. Carter, Direct TEM determination of intrinsic and extrinsic stacking fault energies of silicon, *Philos. Mag. A*, vol. 40, p. 497, 1979.

[21] H.L. Meng, S. Prussin, M.E. Law, and K.S. Jones, A study of point defect detectors created by Si and Ge implantation, *J. Appl. Phys.*, vol. 73, p. 955, 1993.

[22] H. Park and M.E. Law, A Two-Dimensional Model of Dislocation Loops in Silicon, *Proceedings of the Third International Symposium on Process Physics and Modeling in Semiconductor Technology*, ed. by G.R. Srinivasan, K. Taniguchi, and C.S. Murthy (Electrochemical Society, Pennington, NJ), p. 228, 1993.

[23] P.B. Griffin, P.A. Packan, H. Kennel, and J.D. Plummer, A Consistent Set of Vacancy and Interstitial Parameters for Modeling Transient Implant Damage Annealing and Oxidation Enhanced Diffusion in Silicon, unpublished.

[24] Kevin S. Jones, *private communication.*

[25] M. Orlowski, Impurity and Point Defect Redistribution in the Presence of Crystal Defects, *1990 IEDM Technical Digest*, p. 729, 1990.

[26] M. Servidori, S. Solmi, P. Zaumseil, U. Winter, and M. Anderle, Interaction between point defects and dislocation loops s the phenomenon able to reduce anomalous diffusion of phosphorus implanted in silicon, *J. Appl. Phys.*, vol. 65, p. 98, 1989.

[27] L.A. Christel, J.F. Gibbons, and S. Mylroie, An application of the Boltzmann transport equation to ion range and damage distributions in multilayered targets, *J. Appl. Phys.*, vol. 51, p. 6176, 1980.

[28] M.D. Giles and J.F. Gibbons, A Multiple Pass Application of the Boltzmann Transport Equation for Calculating Ion Implantation Profiles at Low Energies, *Nucl. Instr. and Meth.*, vol. 209/210, p. 33, 1983.

[29] J. Narayan and O.W. Holland, Characteristics of Ion-Implantation Damage and Annealing Phenomena in Semiconductors, *J. Electrochem. Soc.*, vol. 131, p. 2651, 1984.

[30] R.Y.S. Huang and R.W. Dutton, The Effect of Amorphizing Implants on Boron Diffusion, *Proceedings of the Third International Symposium on Process Physics and Modeling in Semiconductor Technology*, ed. by G.R. Srinivasan, K. Taniguchi, and C.S. Murthy (Electrochemical Society, Pennington, NJ), p. 46, 1993.

[31] H. Park and M.E. Law, The Effects of Strain on Dopant Diffusion in Silicon, *1993 IEDM Technical Digest*, p. 303, 1993.

[32] H. Park, K.S. Jones, and M.E. Law, A Point Defect Based Two-Dimensional Model of the Evolution of Dislocation Loops in Silicon during Oxidation, *J. Electrochem. Soc.*, vol. 141, p. 759, 1994.

[33] H. Park, *Point-Defect-Based Two-Dimensional Modeling of Dislocation Loops and Stress Effect on Dopant Diffusion in Silicon*, Ph.D. thesis, University of Florida, Gainesville, FL, p. 88, 1993.

[34] A.H. Tong, E.F. Gorey, and C.P. Schneider, Apparatus for the Measurement of Small Angles, *Rev. of Sci. Instr.*, vol. 43, p. 320, 1972.

[35] C.P. Wu, E.C. Douglas, C.W. Mueller, and R. Williams, Techniques for the Lapping and Staining Ion-Implanted Layers, *J. Electrochem. Soc.*, vol. 126, p. 1982, 1979.

[36] W.K. Hofker, H.W. Werner, D.P. Oosthoek, and N.J. Kosman, Boron Implantations in Silicon: A Comparison of Charge Carrier and Boron Concentration Profiles, *Appl. Phys.*, vol. 4, p. 125, 1974.

[37] R.T. Hodgson, V.R. Deline, S. Mader, and J.C. Gelpey, Rapid thermal annealing of boron-implanted silicon using an ultrahigh power arc lamp, *Appl. Phys. Lett.*, vol. 44, p. 589, 1984.

[38] L.C. Hopkins, T.E. Seidel, J.S. Williams, and J.C. Bean, Enhanced Diffusion in Boron Implanted Silicon, *J. Electrochem. Soc.*, vol. 132, p. 2035, 1985.

[39] R.B. Fair, J.J. Wortman, and J. Liu, Modeling Rapid Thermal Diffusion of Arsenic and Boron in Silicon, *J. Electrochem. Soc.*, vol. 131, p. 2387, 1984.

[40] K. Cho, M. Numan, T.G. Finstad, W.K. Chu, J. Liu, and J.J. Wortman, Transient enhanced diffusion during rapid thermal annealing of boron implanted silicon, *Appl. Phys. Lett.*, vol. 47, p. 1321, 1985.

[41] R. Angelucci, P. Negrini, and S. Solmi, Transient enhanced diffusion of dopants in silicon induced by implantation damage, *Appl. Phys. Lett.*, vol. 49, p. 1468, 1986.

[42] A.E. Michel, W. Rausch, P.A. Ronsheim, and R.H. Kastl, Rapid annealing and the anomalous diffusion of ion implanted boron into silicon, *Appl. Phys. Lett.*, vol. 50, p. 416, 1987.

[43] A.E. Michel, W. Rausch, and P.A. Ronsheim, Implantation damage and the anomalous transient diffusion of ion-implanted boron, *Appl. Phys. Lett.*, vol. 51, p. 487, 1987.

[44] M. Servidori, R. Angelucci, F. Cembali, P. Negrini, S. Solmi, P. Zaumseil, and U. Winter, Retarded and enhanced dopant diffusion in silicon related to implantation-induced excess vacancies and interstitials, *J. Appl. Phys.*, vol. 61, p. 1834, 1987.

[45] M. Servidori, Z. Sourek, and S. Solmi, Some aspects of damage annealing in ion-implanted silicon: Discussion in terms of dopant anomalous diffusion, *J. Appl. Phys.*, vol. 62, p. 1723, 1987.

[46] S. Solmi, R. Angelucci, F. Cembali, M. Servidori, and M. Anderle, Influence of implant induced vacancies and interstitials on boron diffusion in silicon, *Appl. Phys. Lett.*, vol. 51, p. 331, 1987.

[47] M. Miyake and S. Aoyama, Transient enhanced diffusion of ion-implanted boron in Si during rapid thermal annealing, *J. Appl. Phys.*, vol. 63, p. 1754, 1988.

[48] T.O. Sedgwick, A.E. Michel, V.R. Deline, S.A. Cohen, and J.B. Lasky, Transient boron diffusion in ion-implanted crystalline and amorphous silicon, *J. Appl. Phys.*, vol. 63, p. 1452, 1988.

[49] S. Solmi, F. Cembali, R. Fabbri, M. Servidori, and R. Canteri, Dependence of Anomalous Phosphorus Diffusion in Silicon on Depth Position of Point Defects Created by Ion Implantation, *Appl. Phys. A*, vol. 48, p. 255, 1989.

[50] Y. Kim, H.Z. Massoud, and R.B. Fair, The Effect of Ion-Implantation Damage on Dopant Diffusion in Silicon During Shallow Junction Formation, *J. Electronic Mat.*, vol. 18, p. 143, 1989.

[51] Q. Guo, X. Bao, J. Hong, Y. Yan, and D. Feng, Implantation damage and anomalous diffusion of implanted boron in silicon, *Appl. Phys. Lett.*, vol. 54, p. 1433, 1989.

[52] X. Bao, Q. Guo, M. Hu, and D. Feng, The role of point defects in anomalous diffusion of implanted boron in silicon, *J. Appl. Phys.*, vol. 66, p. 1475, 1989.

[53] P. Negrini, M. Servidori, and S. Solmi, Phosphorus-enhanced diffusion in silicon induced by implantation damage: dependence on defect depth position, *Phil. Mag. A*, vol. 61, p. 553, 1990.

[54] N.E.B. Cowern, K.T.F. Janssen, and H.F.F. Jos, Transient diffusion of ion-implanted B in Si: dose, time and matrix dependence of atomic and electrical profiles, *J. Appl. Phys.*, vol. 68, p. 6191, 1990.

[55] N.E.B. Cowern, G.F.A. van de Walle, P.C. Zalm, and D.J. Oostra, Reactions of point defects and dopant atoms in silicon, *Phys. Rev. Lett.*, vol. 69, p. 116, 1992.

[56] P.B. Griffin, R.F. Lever, P.A. Packan, and J.D. Plummer, Doping and damage dose dependence of implant induced transient enhanced diffusion below the amorphization threshold, *Appl. Phys. Lett.*, vol. 64, p. 1242, 1994.

[57] D. Nobili, Equilibrium Carrier Density and Solubility of Silicon Dopants, *Semiconductor Silicon 1990*, ed. by H.R. Huff, K.G. Barraclough, and J.-I. Chikawa (Electrochemical Society, Pennington, NJ), p. 550, 1990.

[58] R.S. Muller and T.I. Kamins, *Device Electronics for Integrated Circuits, Second Edition*, John Wiley & Sons, Inc., New York, p. 56. 1986.

[59] R.B. Fair, *Impurity Doping Processes in Silicon*, North Holland Publishing Company, New York, p. 338, 1981.

[60] P.B. Griffin, R.F. Lever, R.Y.S. Huang, H.W. Kennel, P.A. Packan, and J.D. Plummer, Species, Dose and Energy Dependence of Implant Induced Transient Enhanced Diffusion, *1993 IEDM Technical Digest*, p. 295, 1993.

[61] H.W. Kennel and J.D. Plummer, Variations in Point Defect Concentrations Associated with Oxygen Precipitation in Cz Silicon, *Semiconductor Silicon 1990*, ed. by H.R. Huff, K.G. Barraclough, and J.-I. Chikawa (Electrochemical Society, Pennington, NJ), p. 496, 1990.

[62] C. Hill, Measurement of Local Diffusion Coefficients in Planar Device Structures, *Semiconductor Silicon*, ed. by H.R. Huff, J. Kriefler, and Y. Takeishi (Electrochemical Society, Princeton, NJ), p. 988, 1981.

[63] S.T. Ahn, H.W. Kennel, J.D. Plummer, and W.A. Tiller, Film stress-related vacancy supersaturation in silicon under low-pressure chemical vapor deposited silicon nitride films, *J. Appl. Phys.*, vol. 64, p. 4914, 1988.

[64] K.J. van Oostrum, P.C. Zalm, W.B. de Boer, D.J. Gravesteijn, and J.W.F. Maes, Characterization of epitaxial layers by the depth dependence of boron diffusivity, *Appl. Phys. Lett.*, vol 61, p. 1513, 1992.

[65] P. Fahey, G. Barbuscia, M. Moslehi, and R.W. Dutton, Kinetics of thermal nitridation processes in the study of dopant diffusion mechanisms in silicon, *J. Appl. Phys.*, vol. 46, p. 784, 1985.

[66] E.A. Perozziello, P.B. Griffin, and J.D. Plummer, Retarded diffusion of Sb in a high concentration As background during silicon oxidation, *Appl. Phys. Lett.*, vol. 61, p. 303, 1992.

[67] D. Mathiot and J.C. Pfister, Dopant diffusion in silicon: A consistent view involving nonequilibrium defects, *J. Appl. Phys.*, vol. 55, p. 3518, 1984.

[68] S.T. Dunham, A Quantitative Model for the Coupled Diffusion of Phosphorus and Point Defects in Silicon, *J. Electrochem. Soc.*, vol. 139, p. 2628, 1992.

[69] S.T. Dunham, Modeling of Phosphorus Diffusion in Silicon, *Proceedings of the Third International Symposium on Process Physics and Modeling in Semiconductor Technology*, ed. by G.R. Srinivasan, K. Taniguchi, and C.S. Murthy (Electrochemical Society, Pennington, NJ), p. 54, 1993.

[70] P.M. Fahey, P.B. Griffin, and J.D. Plummer, Point defects and dopant diffusion in silicon, *Reviews of Modern Physics*, vol. 61, p. 289, 1989.

[71] A.M. Mazzone, Defect Distribution in Ion-Implanted Silicon: A Monte Carlo Simulation, *Phys. Stat. Sol. A*, vol. 95, p. 149, 1986.

[72] H. Park and M.E. Law, Point defect based modeling of low dose silicon implant damage and oxidation effects on phosphorus and boron diffusion in silicon, *J. Appl. Phy.*, vol. 72, p. 3431, 1992.

[73] M.E. Law, H. Park, and P. Novell, Theory of dopant diffusion assuming nondilute concentrations of dopant-defect pairs, *Appl. Phys. Lett.*, vol. 59, p. 3488, 1991.

[74] S.W. Crowder, unpublished.

[75] C. Boit, F. Lau, and R. Sittig, Gold Diffusion in Silicon by Rapid Optical Annealing, *Appl. Phys. A*, vol. 50, p. 197, 1990.

[76] S.W. Crowder, P.B. Griffin, and J.D. Plummer, A Comparison of Implant Enhanced Dopant Diffusion in Bulk and SOI Material, to be presented at ESSDERC, 1994.

[77] T.Y. Tan and U. Gosele, Point Defects, Diffusion Processes, and Swirl Defect Formation in Silicon, *Appl. Phys. A*, vol. 37, p. 1, 1985.

[78] P.B. Griffin, *Physics and Modeling of Two-Dimensional Diffusion in SUPREM-IV*, Ph.D. thesis, Stanford University, Stanford, CA, 1989.

[79] M.E. Law, Parameters for Point-Defect Diffusion and Recombination, *IEEE Trans. on CAD*, vol. 10, p. 1125, 1991.

[80] R.J. Schreutelkamp, J.S. Custer, J.R. Liefting, W.X. Lu, and F.W. Saris, Pre-amorphization damage in ion-implanted silicon, *Mat. Sci. Reports*, vol. 6, p. 275, 1991.

[81] Y. Kim, H.Z. Massoud, U.M. Gosele, and R.B. Fair, Physical Modeling of the Time Constant of Transient Enhancement in the Diffusion of Ion-Implanted Dopants in Silicon, Tech. Report #TR90-30, MCNC, Research Triangle Park, NC, 1990.

[82] N.E.B. Cowern, Transient Diffusion of Dopants in Silicon: Physics, Modeling and Practical Simulations, *Proceedings of the Third International Symposium on Process Physics and Modeling in Semiconductor Technology*, ed. by G.R. Srinivasan, K. Taniguchi, and C.S. Murthy (Electrochemical Society, Pennington, NJ), p. 20, 1993.

[83] R. Angelucci, E. Gabilli, R. Lotti, P. Negrini, M. Servidori, S. Solmi, and M. Anderle, Radiation Damage Induced Transient Enhanced Diffusion of Dopants in Silicon, *Beam-Solid Interactions and Transient Processes*, ed. by M.O. Thompson, S.T. Picraux, and J.S. Williams (Materials Research Society, Pittsburgh, PA), p. 505, 1987.

[84] F. Cembali, M. Servidori, and A. Zani, Double-Crystal X-Ray Diffraction Analysis of Low-Temperature Implanted Silicon, *Solid State Elec.*, vol. 28, p. 933, 1985.

[85] F. Cembali, M. Servidori, E. Gabilli, and R. Lotti, Effect of Diffuse Scattering in the Strain Profile Determination by Double Crystal X-Ray Diffraction, *Phys. Stat. Sol. A*, vol. 87, p. 225, 1985.

[86] TMA SUPREM-3 Models, Chapter 2 in SUPREM-3 Version 6.0 Manual, Technology Modeling Associates, Palo Alto, CA.

[87] W.A. Tiller, *private communication*.